

Safety Data Sheet

PLANITOP 540 GRIGIO

Safety Data Sheet dated: 04/02/2020 - version 2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: PLANITOP 540 GRIGIO

Trade code: 902227-L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cement based levelling mortar

Uses advised against: N.A.

1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel: +39-02-376731

Fax: +39-02-37673.214

Responsable: sicurezza@mapei.it

1.4. Emergency telephone number

Poison Centre - Ospedale di Niguarda - Milan - Tel. +39/02/66101029

MAPEI S.p.A. - Tel. +(39)02376731 - (office hours)

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Skin Irrit. 2 Causes skin irritation.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1B May cause an allergic skin reaction.

STOT SE 3 May cause respiratory irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) n. 1272/2008 (CLP)

Pictograms and Signal Words



Danger

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements:

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Contains:

Portland cement, Cr(VI) < 2 ppm

calcium hydroxide

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT/vPvB Ingredients are present

Other Hazards: No other hazards

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns.

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: PLANITOP 540 GRIGIO

Hazardous components within the meaning of the CLP regulation and related classification:

| Quantity | Name | Ident. Numb. | Classification | Registration Number |
|-----------------|-----------------------------------|--------------------------------|---|-----------------------|
| ≥25 - <50 % | free crystalline silica (Ø >10 µ) | CAS:14808-60-7 EC:238-878-4 | | |
| ≥25 - <50 % | Portland cement, Cr(VI) < 2 ppm | CAS:65997-15-1 EC:266-043-4 | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335 | |
| ≥5 - <10 % | calcium hydroxide | CAS:1305-62-0 EC:215-137-3 | Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335 | 01-2119475151-45-XXXX |
| ≥0.25 - <0.49 % | free crystalline silica (Ø <10 µ) | CAS:14808-60-7 EC:238-878-4 | STOT RE 1, H372 | |

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

List of components with OEL value

| Component | OEL Type | Country | Ceiling | Long Term mg/m3 | Long Term ppm | Short Term mg/m3 | Short Term ppm | Behaviour | Note |
|-----------------------------------|----------|-------------|---------|--------------------|------------------|---------------------|-------------------|-----------|---|
| free crystalline silica (Ø >10 µ) | NDS | POLAND | | 0,300 | | | | | frakcja respirabilna |
| | National | DENMARK | | 0,3 | | | | | DENMARK, inhalable aerosol inhalable aerosol |
| | National | DENMARK | | 0,100 | | | | | DENMARK, respirable aerosol respirable aerosol |
| | SUVA | GERMANY | | 0,150 | | | | | 50 µg/m ³ (Partikel Durchmesser < 12 µm) - TRGS 906 |
| | National | SWITZERLAND | | 0,15 | | | | | A |

| | | | | | |
|---------------------------------|--------------|----------------|---------|--------|---|
| Portland cement, Cr(VI) < 2 ppm | ACGIH | NNN | 0,025 | | (R), A2 - Pulm fibrosis, lung cancer |
| | National | NORWAY | 0,300 | | K 7 |
| | National | FINLAND | 1 | | FINLAND, respirabel fraktion |
| | NDS | POLAND | 6 | | frakcja wdychalna |
| | NDS | POLAND | 2 | | frakcja respirabilna |
| | SUVA | SWITZERLAND | 5 | | A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma |
| | DFG | GERMANY | 15 | | |
| | National | SPAIN | 4,000 | | 5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust) |
| | National | FINLAND | 5,000 | | |
| | National | FINLAND | 1,000 | | |
| | National | PORTUGAL | 10 | | |
| | National | BELGIUM | 10 | | |
| | NDS | POLAND | 6,000 | | |
| | NDS | POLAND | 2,000 | | |
| | National | HUNGARY | 10 | | |
| | Malaysia OEL | MALAYSIA | 10,000 | | |
| | National | LATVIA | 6,000 | | |
| | National | UNITED KINGDOM | 10,000 | | inhalable dust |
| | National | UNITED KINGDOM | 4,000 | | respirable dust |
| | National | CROATIA | 10,000 | 10,000 | |
| | DFG | GERMANY | C 15 | | |
| | ACGIH | AUSTRALIA | 1,000 | | A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma |
| | Malaysia OEL | MALAYSIA | 10 | | 5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust) |
| | National | UNITED KINGDOM | 10 | 30,000 | 5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust) |
| | National | UNITED KINGDOM | 10 | 12,000 | |
| | National | UNITED KINGDOM | 4,000 | | |
| | National | ROMANIA | 10 | | |
| | National | CROATIA | 10,000 | | |
| | National | CROATIA | 4,000 | 10 | |
| | EU | NNN | 1,000 | 4,000 | |
| calcium hydroxide | ACGIH | NNN | 5,000 | | |
| | DFG | GERMANY | C 2,000 | | |

| | | | | | |
|--------------------------------------|-----------------|-------------------|-------|--------|---|
| | ACGIH | NNN | 5 | | eye, skin and upper respiratory tract irritation |
| | National | SWEDEN | 1,000 | | |
| | National | FRANCE | 5,000 | | |
| | National | SPAIN | 1,000 | 4,000 | |
| | National | GREECE | 1 | 4 | |
| | National | NORWAY | 1 | 2,000 | |
| | National | DENMARK | 1 | | |
| | National | FINLAND | 1 | 4,000 | |
| | National | GERMANY | 1,000 | | |
| | National | PORTUGAL | 5,000 | | |
| | National | BELGIUM | 5,000 | | |
| | NDS | POLAND | 2,000 | | |
| | NDS | POLAND | 1,000 | | |
| | NDSCh | POLAND | | 4,000 | |
| | NDSCh | POLAND | | 6,000 | |
| | NDS | NETHERLANDS | 1,000 | 4,000 | |
| | National | CZECH REPUBLIC | 1,000 | | |
| | National | HUNGARY | 1 | 4,000 | |
| | Malaysia OEL | MALAYSIA | 5 | | |
| | National | ESTONIA | 1,000 | 4,000 | |
| | National | LATVIA | 1,000 | 4,000 | |
| | National | CZECH REPUBLIC | C | 4 | |
| | National | SLOVAKIA | 5,000 | | |
| | National | SLOVENIA | 5 | | |
| | National | UNITED KINGDOM | 1,000 | 4,000 | |
| | National | UNITED KINGDOM | 1 | 15,000 | |
| | National | UNITED KINGDOM | 5,000 | 4,000 | |
| | National | BULGARIA | 1,000 | 4,000 | |
| | National | ROMANIA | 1 | 4 | |
| | TUR | TURKEY | 5,000 | | |
| | National | LITHUANIA | 1,000 | 4,000 | |
| | National | CROATIA | 1,000 | 4,000 | |
| | EU | NNN | 5 | | Indicative |
| free crystalline silica (Ø <10 µ) | National | SWEDEN | 0,100 | | SWEDEN, respirable aerosol |
| | National | NORWAY | 0,100 | | K 7 |
| | NDS | POLAND | 2,000 | | frakcja wdychalna |
| | NDS | POLAND | 0,300 | | frakcja respirabilna |
| | National | DENMARK | 0,3 | 0,600 | DENMARK, inhalable aerosol inhalable aerosol |
| | National | DENMARK | 0,100 | 0,200 | DENMARK, respirable aerosol respirable aerosol |
| | ACGIH | NNN | 0,025 | | (R), A2 - Pulm fibrosis, lung cancer |
| | EU | NNN | 0,025 | | A2 (R) - Pulm fibrosis, lung cancer |
| | National | AUSTRIA | 0,150 | | A* |

Predicted No Effect Concentration (PNEC) values

| Component | CAS-No. | PNEC LIMIT | Exposure Route | Exposure Frequency | Remark |
|-------------------|-----------|---------------|-------------------|-----------------------|--------|
| calcium hydroxide | 1305-62-0 | 0,49 mg/l | Fresh Water | | |

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN 374:

Polychloroprene - CR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile rubber - NBR: thickness $\geq 0,35\text{mm}$; breakthrough time $\geq 480\text{min}$.

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile gloves are suggested (1,3 mm; 480 min). Not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

A dust mask (P2) should be worn if above exposure limits (EN 149)

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Hygienic and Technical measures

N.A.

Appropriate engineering controls:

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: powder grey

Odour: cement like

Odour threshold: N.A.

pH: N.A.

pH(water dispersion,10%): 12.00

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: N.A.

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: N.A.

Apparent density: 1.3

Solubility in water: partly soluble

Partition coefficient (n-octanol/water): N.A. - This product is a mixture

Auto-ignition temperature: N.A. - No explosive or spontaneous ignition in contact with air at room temperature

Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: == - No components with explosive properties

Oxidizing properties: N.A. - No component with oxidizing properties

Solid/gas flammability: N.A.

9.2. Other information

No additional information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

| | | |
|-----------------------------------|-------------------|-------------------------------|
| free crystalline silica (Ø >10 µ) | a) acute toxicity | LD50 Oral > 2000 mg/kg |
| | | LD50 Skin > 2000 mg/kg |
| calcium hydroxide | a) acute toxicity | LD50 Oral Rat > 2000 mg/kg |
| | | LD50 Skin Rabbit > 2500 mg/kg |
| | | LD50 Oral Rat = 7340 mg/kg |
| free crystalline silica (Ø <10 µ) | a) acute toxicity | LD50 Oral Rat = 500 mg/kg |

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- k) Toxicological kinetics, metabolism and distribution information
- i) STOT-repeated exposure
- j) aspiration hazard

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with eco-toxicological properties

| Component | Ident. Numb. | Ecotox Infos |
|-------------------|---------------------------------------|---|
| calcium hydroxide | CAS: 1305-62-0 - EINECS: 215-137-3 | a) Aquatic acute toxicity : LC50 Fish = 50,6 mg/L 96 |
| | | a) Aquatic acute toxicity : LC50 Fish = 457 mg/L 96 |
| | | a) Aquatic acute toxicity : EC50 Daphnia = 49,1 mg/L 48 |
| | | a) Aquatic acute toxicity : EC50 Algae = 184,57 mg/L 72 |

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

12.6. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Product:

Do not dispose of waste into sewers.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to an authorized waste disposal service.

Contaminated packaging:

Empty remaining content.

Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number

N.A.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG):

N.A.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC) : N.A. g/l

The product contains Cr (VI) under the limits established by annex. XVII pt.47. Respect the duration according to the information described on the packaging.

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) 2015/830
 Regulation (EC) n. 1272/2008 (CLP)
 Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 Regulation (EU) n. 286/2011 (ATP 2 CLP)
 Regulation (EU) n. 618/2012 (ATP 3 CLP)
 Regulation (EU) n. 487/2013 (ATP 4 CLP)
 Regulation (EU) n. 944/2013 (ATP 5 CLP)
 Regulation (EU) n. 605/2014 (ATP 6 CLP)
 Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 Regulation (EU) n. 2016/918 (ATP 8 CLP)
 Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 Regulation (EU) n. 2017/776 (ATP 10 CLP)
 Provisions related to directive EU 2012/18 (Seveso III):

N.A.

German Water Hazard Class

N.A.

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None

Restrictions related to the substances contained: None

SVHC Substances:

No Data Available

MAL-kode: 00-4

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

| Code | Description |
|------|--|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |
| H372 | Causes damage to organs through prolonged or repeated exposure . |

| Code | Hazard class and hazard category | Description |
|----------|----------------------------------|--|
| 3.2/2 | Skin Irrit. 2 | Skin irritation, Category 2 |
| 3.3/1 | Eye Dam. 1 | Serious eye damage, Category 1 |
| 3.4.2/1B | Skin Sens. 1B | Skin Sensitisation, Category 1B |
| 3.8/3 | STOT SE 3 | Specific target organ toxicity — single exposure, Category 3 |
| 3.9/1 | STOT RE 1 | Specific target organ toxicity — repeated exposure, Category 1 |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|--------------------------|
| 3.2/2 | Calculation method |
| 3.3/1 | Calculation method |
| 3.4.2/1B | Calculation method |
| 3.8/3 | Calculation method |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ATE: Acute Toxicity Estimate
 ATEmix: Acute toxicity Estimate (Mixtures)
 BCF: Biological Concentration Factor
 BEI: Biological Exposure Index
 BOD: Biochemical Oxygen Demand
 CAS: Chemical Abstracts Service (division of the American Chemical Society).
 CAV: Poison Center
 CE: European Community
 CLP: Classification, Labeling, Packaging.
 CMR: Carcinogenic, Mutagenic and Reprotoxic
 COD: Chemical Oxygen Demand
 COV: Volatile Organic Compound
 CSA: Chemical Safety Assessment
 CSR: Chemical Safety Report
 DMEL: Derived Minimal Effect Level
 DNEL: Derived No Effect Level.
 DPD: Dangerous Preparations Directive
 DSD: Dangerous Substances Directive
 EC50: Half Maximal Effective Concentration
 ECHA: European Chemicals Agency
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 ES: Exposure Scenario
 GefStoffVO: Ordinance on Hazardous Substances, Germany.
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association.
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 IC50: half maximal inhibitory concentration
 ICAO: International Civil Aviation Organization.
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
 IMDG: International Maritime Code for Dangerous Goods.
 INCI: International Nomenclature of Cosmetic Ingredients.
 IRCCS: Scientific Institute for Research, Hospitalization and Health Care
 KSt: Explosion coefficient.
 LC50: Lethal concentration, for 50 percent of test population.
 LD50: Lethal dose, for 50 percent of test population.
 LDLo: Leathal Dose Low
 N.A.: Not Applicable
 N/A: Not Applicable
 N/D: Not defined/ Not available
 NA: Not available
 NIOSH: National Institute for Occupational Safety and Health
 NOAEL: No Observed Adverse Effect Level
 OSHA: Occupational Safety and Health Administration.
 PBT: Persistent, Bioaccumulative and Toxic
 PGK: Packaging Instruction
 PNEC: Predicted No Effect Concentration.
 PSG: Passengers
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
 STEL: Short Term Exposure limit.
 STOT: Specific Target Organ Toxicity.
 TLV: Threshold Limiting Value.
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
 vPvB: Very Persistent, Very Bioaccumulative.
 WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION

- 13. DISPOSAL CONSIDERATIONS
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION